

Knowledge and attitude of nurses towards care of HIV/AIDS patients

Sara RekabEslamiZadeh

Faculty of Medicine, National university of Malaysia.

Samedical_2005@yahoo.com

Abstract: Increasing number of people suffering from HIV/AIDS has influenced healthcare sectors. Irrational and discriminatory treatment of HIV/AIDS patient is the result of health professionals fear. Unfortunately, most of health professionals have this kind of perspective and practice about people living with HIV/AIDS. Lack of knowledge about ways of transmission can affect nurse's behaviour in caring for HIV/AIDS patients. Fear of being affected by occupational exposure in contact to HIV/AIDS individuals and social stigma are two factor that cause to negative attitude. Educational and occupational training programs have led to decrease fear and inadequate knowledge regarding HIV/AIDS transmission. For planning and evaluating nursing care, it is necessary the truth about disease be identified.

Keywords: Knowledge , attitude , nurses , HIV/AIDS.

I. INTRODUCTION:

The Human Immunodeficiency Virus (HIV) and Acquired Immunodeficiency Syndrome (AIDS) epidemic have become one of the most important public health problems in recent years. HIV/AIDS influence all aspects of human life such as physical, social, emotional and spiritual. HIV/AIDS decrease life expectancy for infected individuals, creating confusion in health systems, and helping to monetary insecurity (Sowell 2004). In the world, HIV epidemic is steady remained, also with high proportion of new HIV infected individuals and AIDS deaths. Globally, between 30 to 36 million individuals were infected with HIV(UNAIDS 2008). Increasing number of people suffering from HIV/AIDS has influenced healthcare sectors. Nurses play critical role in caring the HIV positive patient. Health professionals refused to face the HIV/AIDS patient because they have fear of contagion at workplaces. Irrational and discriminatory treatment of HIV/AIDS patient is the result of health professionals fear (Eisenberg 1986 ; Adebajo et al. 2003). Unfortunately, most of health professionals have this kind of perspective and practice about people living with HIV/AIDS (PLWHA) (Aghamoalemi et al. 2009). Nurses must be aware of the facts and realities about HIV/AIDS. Lack of knowledge about ways of transmission can

affect nurse's behaviour in caring for HIV/AIDS patients. Nurses reaction are varied about HIV/AIDS patient, from positive appropriate care to inadequate isolation techniques, minimum contact with such patients, and even avoidance to care of HIV/AIDS patients (Walusimbi et al. 2004). Most of previous studies have showed nurses negative attitude regarding to care of HIV/AIDS patients. One factor that cause to negative attitude is fear of being affected by occupational exposure in contact to HIV/AIDS individuals. Social stigma is the second factor affected nurses attitude in contact with HIV/AIDS patients. Thus, negative attitude cause to poor management of PLWHAs who need support, treatment and care (Baylor & McDaniel 1996). The aim of this study is to examine current knowledge and attitude of nurses toward care of people who suffering from HIV/AIDS and to recognize some factor affected knowledge and attitude of nurses in their current practice and to develop nurses education program for provide care for people living with HIV/AIDS.

A. Knowledge and attitudes of nurses towards care of HIV/AIDS patients

Most studies about knowledge and attitude of healthcare workers regarding HIV/AIDS have shown the lack of knowledge about HIV transmission and risk prevention with fear of contagion (Kohi & Horrocks 1994; Adelekan et al. 1995; Lohrmann et al. 2000; Mbanya et al. 2001; Oyeyemi et al. 2006). Servellen et al. (1988) surveyed 1,200 Registered Nurses, and their result showed that quarter of nurses refrain to care for HIV/AIDS patients. Thirty percent of nurses had a moderate discomfort experience in care of such patients. While only ten percent of nurses accepted care of HIV/AIDS patients. In the study carried out by Gallop et al. (1991) among 700 nurses, they found that half of nurses want HIV/AIDS patients must be quarantined and about 40% of them preferred to avoid care of AIDS patients.

Walusimbi & Okonsky (2004) in their study found that 95% of nurses had experienced care of HIV/AIDS patients. A total of 47% of nurses had fear of contagion. Those who are knowledgeable had less fear of being affected and had more positive attitude towards care of HIV/AIDS patients. Findings about the other study showed that nurses provide care for a lot of HIV/AIDS patients. HIV/AIDS knowledge was moderately adequate among nurses. Factors associated with knowledge in this study were professional rank, frequency of care and training. Nurses' attitudes were mainly positive. Previous training and ward allocation were associated

with nursing attitudes (Dellobelle et al. 2009). Findings of the study by Aghamoalemi et al. (2009) showed that more favorable attitudes of laboratory technicians compared with nurses and physicians. More favorable attitudes were found among who had bachelor degree. Rondal et al. (2002) found that both the nursing staff and the nursing students expressed empathic attitudes towards HIV-infected patients. They had less fear of HIV contagion. The findings also showed 36% would refuse caring for HIV-infected patients. Kermode et al. (2004) reported healthcare workers had a positive attitude to care for HIV/AIDS patients. Although most of them concerns about providing care, having experience for care of HIV/AIDS patients was strongly associated with healthcare workers willingness to provide care for HIV patients. HIV knowledge about perception of risk and mode of transmission did not influence willingness to provide care for PLWHAs.

Juan (2004) found two hundred and ten nurses (19.3%) were seriously leaving nursing because of fear of contracting AIDS/HIV. Taiwanese nurses in this study had knowledge shortage in their practice. Concerns and fears might be related to lack of HIV/AIDS knowledge. Wang et al. (2007) studied 1,079 Taiwanese nurses and found that those who were single and those who have higher level of education had less fear of being affected and have more positive attitudes towards HIV/AIDS patients. Fernandez et al. (2004) reported in their study that nurses as compared to auxiliary workers had more positive attitude towards HIV patients. Only twenty percent nurses had a negative attitude. They found that age and occupation were the important variables that affect the attitude towards HIV. Baylor & McDaniel (1996) found nurses who had experienced in care of HIV/AIDS patients had more positive attitudes regarding use of health care services by HIV/AIDS patients than those who have not cared for HIV/AIDS patients, also most nurses had fear and concern in caring for patients infected with HIV. In the study by Askarian et al. (2006), it was found that knowledge level about HIV infection among registered nurses was higher than auxiliary staff nurses. More women agreed about how impossible to identify HIV patients during the early stage of disease by their appearance than did men. In a study in Cameron, the grade of staff affect nurses HIV/AIDS knowledge level, higher grade staff tend to have higher level of knowledge, also younger nurses seemed to be more knowledgeable compared to older nurses (Mbanya et al. 2001).

B. Occupational exposure of HIV infection among nurses

Most studies showed that lots of nurses had experienced occupational stress, exhaustion and symptoms of occupational burnout because they provide serious care for PLWHA. Nurses occupational stress can exacerbate their fear of HIV transmission from accidental occupational injuries and exposure to mucus membrane of infected person (Gala et al. 1993, Gueritault et al. 2000, Nursing Standard 2002). Durkin and Rondahl concluded in their studies that most of nurses have fear of contracting HIV through occupational exposure (Durkin 2004 ; Rondahl et al. 2003). In the 2002, twenty four thousand eight hundred and forty four HIV/AIDS cases among adults reported who had experienced of working in health care centers. Nurses comprised of 21% of the healthcare personnels with HIV/AIDS (CDC report 2003). Dellobelle et al. (2009) in their study showed that lots of nurses concerned about occupational exposure. They had a fear of being affected through occupational exposure. Result of the other study found that nurses concerned about providing care for PLWHA, and most of them believed that the risk of occupational infection with HIV to be high (Kermode et al. 2005). A total of 74% respondents scored high on stress, perceived risks and discomfort scales due to working with HIV/AIDS patients (Henry et al. 1990). Kermode et al. (2005) surveyed 266 registered nurses in India, 91% of participants believed that they are at high risk of occupational injuries. 60% of nurses perceived that an HIV-contaminated needle can cause HIV infection through needle-stick injuries. Some studies have showed many developing countries have had lack of protective equipment and safe needles that can explain risk of occupational injuries among nurses (Gershon et al. 1995; Fredrich et al. 2005).

C. Role of education and training programs towards HIV/AIDS in improving nurses knowledge and attitude

A number of studies have found that a fear of contamination with HIV primarily is related to inadequate knowledge regarding AIDS (Gallop et al. 1989; Snowden 1997; Sowell et al. 2004; Liljestrang 2004).

In Iran, Ghorbany et al. (2005) have shown that 46.5% of nurses had a low level of knowledge about HIV infection and 49% of respondents had negative attitudes toward care of HIV/AIDS patients before the workshop. Knowledge score improved about 61.4% among nurses after

workshop. The attitude towards caring for HIV/AIDS patients was significantly promoted after workshop. Authors concluded that education training programs is necessary in improving nurse's knowledge level and more positive attitudes .In the other study among nurses, the authors showed that HIV knowledge was improved significantly from pre-test to post-test (Nyamathi et al. 2005). Turner et al. (1988) in their study held five-hour seminar about HIV/AIDS among hospital nurses for improving their HIV/AIDS knowledge and infection control methods, also their attitudes in care of HIV/AIDS patients. The results showed significant change in AIDS knowledge, infection control, and attitude towards caring for patients with HIV/AIDS for those who attended the seminar. The results of the other study showed that AIDS training programs can decrease fear of contagion and negative attitude towards care of HIV/AIDS patients (O'Donnell et al. 1987). Pisal et al. (2007) in their study among nurses showed the same results.

In the study that was done among three hundred and seventy one registered nurses in a hospital, the results showed that after 6-days training program, HIV/AIDS knowledge was promoted in all dimensions involving treatment, care, some issues related to confident and consent. Fear of contact with PLWHA decreased significantly (Pisal et al. 2007). In the other study among nurses by Harnett et al. (1987), the results showed a significant improvement in HIV/AIDS knowledge and level of confidence, with the reduction of fear and negative attitudes associated with caring patients who have AIDS among those who have attended a lecture session with question and answer. The results of the other study showed that nurses attitude towards care of HIV/AIDS patients are not affected by education background (Baylor et al. 1996). Martin et al. (2000) showed experience in caring HIV/AIDS patients was more important than the role of education in determining nurses attitude.

II. SUMMERY & DISSCUSION :

This review highlights some factors affected knowledge and attitude of nurses towards care of HIV/AIDS patients.

Care of people who suffering from HIV/AIDS is challenging because of its multidisciplinary nature, physical signs, its medical complexity, necessity of infection control process and its associated with stigma. Regardless of improvement in knowledge, a number of problems, influence nurses care of patients for example fear of being infected, homophobia, unwillingness

to care, burn out and religious attitudes (Robinson 1998). Healthcare professionals repeatedly report fear of being affected by occupational exposure (Valimaki 1998). According to CDC report 2001, the average risk of HIV transmission has been estimated to be about 0.3% (95% CI = 0.2%-0.5%) after a percutaneous exposure to HIV-infected blood and after a mucous membrane exposure, approximately 0.09% (95% CI = 0.006%-0.5%) (CDC Report, 2002). This trend is lower than the risk of contracting other infectious disease after exposure e.g. risk for hepatitis B is 10% to 20%. Even though this mode of transmission is rare, but the fear of contracting HIV infection through occupational exposure impacts on the development of a professional relationship with persons with HIV infection or AIDS (Froman, &Owen 1997). AIDS care experience, knowledge of transmission modes, comfort with AIDS patients and working conditions are some factors associated with occupational HIV risk perception. Nurses with less AIDS care knowledge and experience are more worried about HIV. It is still the area of concern for most of healthcare professionals (Sharp 1988).

The rapid spreading of HIV epidemic has caused nurses and other health professional to face up to HIV/AIDS and refusing of care of HIV/AIDS patients is unacceptable (Friedland 1995). Educational and occupational training programs have led to decrease fear and inadequate knowledge regarding HIV/AIDS transmission. For planning and evaluating nursing care, it is necessary the truth about disease be identified (Unwakwe 2000). Social stigma is the other factor affected nurses attitude in contact with HIV/AIDS patients. Thus, negative attitude cause to poor management of people living with HIV/AIDS who need support, treatment and care (Baylor&McDaniel 1996). Several studies identified lack of knowledge affect outcome of care for HIV/AIDS patients. Proper knowledge base regarding HIV/AIDS with sufficient understanding of patients needs may help relieve fear and anxiety associated with caring of patients who suffer from HIV/AIDS. Appropriate knowledge and perception can promote quality of care for these patients (Lohrmann et al. 2000).

III. CONCLUSION:

Healthcare professionals must be knowledgeable in relation to prevention and cure of HIV/AIDS. Nurses must achieve updated knowledge, overcome to their fears and attitudes, and increase their confidence and ability for caring of HIV/AIDS patients. Nurses feelings and beliefs

about people living with HIV/AIDS can influence nurses behaviour, So, influence the quality of care passed. Research in the field of health provider and nurses knowledge and attitude towards HIV/AIDS and how to maintain their health in the community can determine Requirements and priorities and educational facilities. Nominating the educational requirement is one of the important factors in order to plan a suitable program. Nursing research studies need to be conducted to ensure nurses provide quality of care. These studies must focus on acquiring new knowledge about HIV/AIDS that are beneficial to nursing practice, decreasing the incidence of new cases of HIV infection, as well as, promoting quality of care of people living with HIV/AIDS.

It is important that all nurses have a strong basis of HIV/AIDS knowledge and positive attitude to prevent new infection and to treat people living with HIV/AIDS. Nurses in hospital need to be supported with enough knowledge to protect them whereas caring HIV/AIDS patients. Health care workers should have access to sufficient supplies of essential protective materials, to effectively perform their jobs. It is likely that in low-resource contexts, the absence of appropriate medical supplies, lack of adequate protection, and insufficient knowledge about HIV/AIDS will continue to contribute to discriminatory behaviours toward people with HIV/AIDS (Pisal et al. 2007).

REFERENCES :

1. Adebajo.S.B, Bamgbala.A.O, Oyediran.M.A. 2003. Attitudes of healthcare providers to persons living with HIV/AIDS in Lagos State, Nigeria. *Africa Journal of Reprod Health* 7:103 – 112.
2. Adelekan.M.L , Jolayemi.S.O, Ndom.R.J, Adegboye.J, Babatunde.S ,Tunde- Ayimode.M , Yusuff.O , Makanjuola.A.B . 1995 . Caring for people with AIDS in a Nigerian teaching hospital: staff attitudes and knowledge. *Journal of AIDS Care* 7(1): 63–72.
3. Aghamolaei.T, Tavafian.S, Hasani.L, Zare.S. 2009. Attitudes of Healthcare Providers towards Patients with HIV/AIDS in Bandar Abbas. *Arch Iranian Med* , 12 (3): 298 – 301.

4. Askarian.M, Hashemi.Z, Jaafari.P, Asadian.O. 2006. Knowledge about HIV infection and attitude of nursing staff toward patients with AIDS in Iran. *Journal of infection control and hospital epidemiology*. **27**(1):48-53.
5. Askarian.M, Shaghaghian.S, McLaws.M. 2007. Needlestick Injuries Among Nurses of Fars Province, Iran. *Journal of Ann Epidemiol* **17**(12):988–992.
6. Baylor.A.R , McDaniel.A. 1996. Nurses attitude toward caring for patient with Acquired Immunodeficiency Syndrome. *Journal of Professional Nursing* **12**(2):99-105.
7. CDC. 2002. Preventing Occupational HIV Transmission to Healthcare Personnel. Center for Disease Control and prevention. department of health and human services.
8. CDC. 2003. HIV prevention community planning guidance. Center for Disease Control and prevention. department of health and human services.
9. Center for Disease Control, Office of the Deputy for Public Health, Ministry of Health and Medical Education of the I.R.Iran. *HIV/AIDS in Iran (Cumulative Statistics)*. Tehran 2009. In Persian.
10. Delobelle. P , Rawlinson .J.L , Ntuli.S , Malatsi.I , Decock.R , Depoorter.A.M . 2009. HIV/AIDS knowledge, attitudes, practices and perceptions of rural nurses in South Africa. *Journal of Advanced Nursing* **65**(5): 1061–1073.
11. Durkin. A . 2004. Comfort levels of nursing students regarding clinical assignment to a patient with AIDS. *Nursing Education Perspectives* **25**(1): 22-25.
12. Eisenberg.L . 1986. The genesis of fear: AIDS and the public’s response to science. *Journal of Medicine and Health Care* **14**:243-249.
13. Gala.C, Pergami.A , Invernizzi.G .1993. The psychological impact of HIV infection and the ‘burnout’ syndrome amongst health care workers dealing with HIV seropositive and AIDS patients. *Journal of Minerva Psichiatric* **34**(2): 75–84.
14. Gallop. R , Taerk.G , Lance.W.J , Coats.R , Fanning.M , Keating.M. 1991. Knowledge, attitudes and concerns of hospital staff about AIDS. *Canadian Journal of Public Health* **82**(6) :409-12.
15. Ghorbani.GH, Alishiri.GH, Joneydi.N, Esfahani.A, Hosseini.M. 2005. Effect of education on nurses knowledge and attitude regarding AIDS,After 20 year of epidemic in Iran. *Journal of infection disease* **11**(35) : 85-89.

16. Gueritault-Chalvin.V, Demi.A , Peterson.J.L , Kalichman.S.C .2000. Work-related stress and occupational burnout in AIDS caregivers: test of a coping model with nurses providing AIDS care. *Journal of AIDS Care* **12**(2):149–163.
17. Fredrich M.N & Jaakkola.M.S. 2005. Needle stick injuries among nurses in sub-Saharan Africa. *Journal of Tropical Medicine and International Health* **10**(8):773-781.
18. Friedland.G.H ,Bull.N.Y .1995.A Journey through the Epidemic. Acad Med Supplement 1: 178-86.
19. Froman R.D & Owen S.V. 1997. Further validation of the AIDS Attitude Scale. *Research in Nursing & Health* **20**: 161-167.
20. Fernández S.P, Vazquez B.R, Diaz S.P. 2004.Attitudes of Nursing and Auxiliary Hospital Staff Towards HIV Infection and AIDS in Spain. *Journal of the association of nurses in AIDS care* **15**(3): 62-69.
21. Juan C.W, Siebers .R, Wu .F.S, Wu .C.J, Chang Y.J, Chao C. 2004. The attitudes, concerns, gloving practices and knowledge of nurses in a Taiwanese hospital regarding AIDS and HIV.*International Journal of Nursing Practice* **10**: 32–38.
22. Harnett. S.M .1987. A hospital-wide AIDS education program. *The Journal of Continuing Education in Nursing* **18**(2):64-67.
23. Henry.K , Campbell.S, Willenbring.K. 1990. AIDS-related knowledge, attitudes and behaviours among employees at a US hospital. *Journal of AIDS education and prevention* **2** (1) : 36-4
24. Liljestrand.P . 2004. HIV Care: Continuing Medical Education and Consultation Needs of Nurses, Physicians, and Pharmacists. *Journal of the Association in AIDS care* **15**(2):38-50.
25. Lohrmann.C, Vilimaki.M , Suominen.T, Muinonen.U ,Dassen.T, Peate.I . 2000. German nursing students knowledge of and attitudes toward HIV and AIDS: Two decades after the AIDS cases. *Journal of Advanced Nursing* **31**: 696-703.
26. Lwanga.S.K, Lemeshow.S. 1991. Sample size determination in health studies. Geneve,World Health Organization.

27. O'Donnell.L , and O'Donnell.C. R . 1987. Hospital workers and AIDS: effect of inservice education on knowledge and perceived risks and stresses. *Journal of Medicine* **87** (5):278-280.
28. Pisal.H, Sutar.S, Sastry.J, Kapadia-Kundu.N, Joshi.A, Joshi.M, Leslie.J, Scotti.L,et al. 2007. Nurses' Health Education Program in India Increases HIV Knowledge and Reduces Fear. *Journal of the Association in AIDS care* **18**(6): 32-43.
29. Kermode. M, Holmes.W, Langkham.B, Thomas.M.S, Gifford.S . 2005. HIV-related knowledge, attitudes and risk perception amongst nurses, doctors and other healthcare workers in rural India. *Indian Journal of Medical Research***122**:258-264.
30. Kohi T.W. & Horrocks M.J. 1994.The knowledge, attitudes and perceived support of Tanzanian nurses when caring for patients with AIDS. *International Journal of Nursing Studies* **31**(1), 77–86.
31. Martin J.E & Bedimo A.L.2000. Nurse Practitioner, Nurse Midwife and Physician Assistant Attitudes and Care Practices Related to Persons with HIV/AIDS. *Journal of the American academy of nurse practitioners* **12**(2):35-42.
32. Mbanya D.N , Zebaze R , Kengne A.P, Minkoulou E.M , Awah P , Beure A.R . 2001.Knowledge, attitudes and practices of nursing staff in a rural hospital of Cameroon: how much does the health care provider know about the human immunodeficiency virus/acquired immune deficiency syndrome?. *International Journal of Nursing Review* **48**(4):241–249.
33. Melby V, Boore JR. Murray,M.1992. AIDS,Knowledge and Attitudes of nurses in northern ierland".*Journal of Advanced Nursing* , 17: 1068-77.
34. Nursing Standard .2002.HIV toll puts strain on SA nurses. *Australian Nursing Journal* **9**(10), 16.
35. Nobandegani.M.Z , Mobaraki.A , Afrasiabi far.A , Moshfee.A . 2005 . Knowledge and attitudes of nurses toward HIV/AIDS patients. *Journal of Armaghan Danesh* **8**(30):48-54.
36. Nyamathi.A, Vatsa.M, Deepika.C, McNeese.D, Leake.B, Fahey.J . 2008. HIV Knowledge Improvement Among Nurses in India: Using a Train-the-Trainer Program. *Journal of the Association in AIDS care* **19**(6): 443-449.

37. Oyeyemi.A , Oyeyemi.B , Bello.I . 2006. Caring for patients living with AIDS : knowledge, attitude and global level of comfort. *Journal of Advanced Nursing* **53**(2):196–204.
38. Sharp SC. 1988.The physician’s obligation to treat AIDS patients. *South Med J*; 81(10): 1282-5.
39. Sowell.R.L. 2004. Access to all: Time to make a theme the reality. *Journal of the Association of Nurses in AIDS Care* **15**(3): 21-22.
40. Snowden.L. 1997. An investigation into whether nursing students alter their attitudes and knowledge levels regarding HIV infection and AIDS following a 3 year programme leading to registration as a qualified nurses. *Journal of Advanced Nursing* **25**(6): 167-174.
41. Steel.A, Melby.V.1995. Comparing nurses in hospital, community and hospice settings. *Journal of Advanced Nursing* **22**(5): 879–887.
42. Robinson N.1998. People with HIV/AIDS: who cares? *J Adv Nurs*; 28(4): 771.
43. Rahmaty.F, Niknami.SH, Aminshokravi.F, Bazargan.M, Ahmadi.F, Hadjizadeh.E, Tavafian.S. 2010. Experiences of stigma in healthcare settings among adults living with HIV in the Islamic Republic of Iran. *Journal of Intenational AIDS Society* **13**(27) :2-11.

44. Rondhal. G , Innala.S, Carlsson.M . 2003. Nursing staff and nursing students' attitudes towards HIV-infected and homosexual HIV-infected patients in Sweden and the wish to refrain from nursing. *Journal of Advanced Nursing* **41**(5): 454–461.
45. Turner.J.G , Gauthier.D.K , Ellison.K.J , Greiner.D.S .1988. Nursing and AIDS: knowledge and attitudes. *American Association of Occupational HealthNurses Journal* **36**:274-278.
46. Valimaki M, Suominen T, Peate I.1998. Attitudes of professionals, students and the general public to HIV/AIDS and people with HIV/AIDS: a review of the research. *J Adv Nurs*; 27(4) 752.
47. UNAIDS. 2008. Report on the global AIDs epidemic. United Nations Programme on HIV/AIDS.
48. Uwakwe.C.B. 2000. Systematized HIV/AIDS education for student nurses at the University of Ibadan, Nigeria: Impact on knowledge, attitudes and compliance with universal precautions. *Journal of Advanced Nursing* **32**: 416-424.
49. Walusimbi.M , Okonsky.J.G. 2004. Knowledge and attitude toward caring for HIVpatient in Uganda. *Journal of Applied Nursing Research* **17**(2): 92-99.
50. Wang.J , Simoni.P.S, Paterson.J. 2007. AIDS-Related Knowledge, Fear, and Behavioral Change Among Nurses in Taiwan. *Journal of Public Health Nursing* **10**(4):257–262.
51. WHO. 2009. AIDS epidemic update. Repost of WHO consultation, No.36E /JC1700E. World Health Organization.

Current Issue

Journal of Academic and Applied Studies

Vol. 1, No.1, 2011

An Innovative Approach to Understanding Oral Problems in Foreign Language Learning and Communication

Abstract: Oral communication problems can be major challenges to effective foreign language learning and communication. Despite years spend developing their knowledge of vocabulary and structure, learners often experience frustration at not being able to participate effectively in second language (L2) communication.... (Click here to see Full Text in Pdf).

Simulation of silver thin films under different flux angles and influence of deposition rate on growth

Abstract: Among the transition metals, Silver is crucially important. As this metal has a high electrical and thermal conductivity, its thin films have been used for the internal connections of integrated circuits. Furthermore, its resistance against the metal electrical migration is more than aluminum.... (Click here to see Full Text in Pdf).

A Training Model for Fuzzy Classification System

Abstract: In recent years, Fuzzy Logic is considerably used as an intelligent technique to solve the ambiguous problems which are in the human life. Classification of emotions is one of challenging problems which is deals with natural conditions of human face, linguistic and paralinguistic.... (Click here to see Full Text in Pdf).

Knowledge and attitude of nurses towards care of HIV/AIDS patients

Abstract: Increasing number of people suffering from HIV/AIDS has influenced healthcare sectors. Irrational and discriminatory treatment of HIV/AIDS patient is the result of health professionals fear. Unfortunately, most of health professionals have this kind of perspective and practice about people living with HIV/AIDS..... (Click here to see Full Text in Pdf).